

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6625804".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:26
L2	2	"6654953".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 09:26
S1	248	((IDE framework builder viewer) same (API (application near2 interface)) ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:12
S2	0	S1 and (API with call) and (( mapp\$4 correspond\$4 reference) same (symbol adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:13
S3	9	(API with (database library record table repository)) and (API with call) and (( mapp\$4 correspond\$4 reference) same (symbol adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:27
S4	5	((((API near call) code) with (IDE builder)) and (template same "symbol table"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:32
S5	0	(assembl\$4 with ((API near call) (API near4 (invocation near method)))) and ((builder framework IDE viewer tool) same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:34
S6	107	((((API near call) (API near4 (invocation near method)))) and ((builder framework IDE viewer tool) same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:34

## EAST Search History

S7	0	S1 and S6 and (assembly near4 (instruction code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:37
S8	19	((creat\$4 generat\$4 form\$4 develop\$4) same ((application near2 interface) API)).ab. and (assembly near4 (instruction code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:46
S9	0	S1 and S6 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:37
S10	0	S1 and S6 and (template same (generat\$4 near4 ((query remote) near API)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:38
S11	0	(builder framework) and (template same (generat\$4 near4 ((query remote) near API)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:39
S12	1	(builder framework) and (template and ((generat\$4 form\$3 creat\$4) near4 ((query remote) near API)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 17:39
S13	0	("7039724").URPN.	USPAT	OR	OFF	2006/07/29 17:49
S14	9	("5617527"   "5701488"   "5892950"   "6199133"   "6625590"   "6661800"   "6662221"   "6665714"   "6724408").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/29 17:55
S15	0	S14 and ((token symbol) near3 (structure table file))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/29 17:50
S16	0	S15 and (relocation near4 table)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/29 17:51
S17	0	S14 and (relocation near4 table)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/29 17:51

## EAST Search History

S18	11	(symbol adj table) and "717"/\$ and ( template same (parameter attribute near9 mapping))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/29 18:00
S19	0	((remote API query SQL) near9 (call API)).ab. and framework and template and (symbol adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:02
S20	7	((remote API query SQL) near9 (call API)).ab. and framework and template and mapping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:04
S21	0	Lebrou.in. and API.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:05
S22	1	Labrou.in. and API.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:05
S23	88	(API same callback) and ((COM DCOM query) near5 (invocation call method interface)) and (framework builder IDE (develop\$5 near4 tool))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:12

## EAST Search History

S24	36	(US-20050033766-\$ or US-20050021540-\$ or US-20040237064-\$ or US-20040215732-\$ or US-20040203664-\$ or US-20040194116-\$ or US-20040060055-\$ or US-20030191752-\$ or US-20030145042-\$ or US-20030120593-\$ or US-20030101169-\$ or US-20020118220-\$ or US-20020112058-\$ or US-20020103824-\$ or US-20010020243-\$ or US-20060168159-\$).did. or (US-7069101-\$ or US-7051098-\$ or US-7047498-\$ or US-6910068-\$ or US-6892230-\$ or US-6799184-\$ or US-6779004-\$ or US-6771381-\$ or US-6633923-\$ or US-6460058-\$ or US-6401099-\$ or US-6340977-\$ or US-6226693-\$ or US-6185590-\$ or US-5809237-\$ or US-5784615-\$ or US-5754765-\$ or US-5493568-\$ or US-5488570-\$ or US-5434913-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/07/29 18:12
S25	22	S24 and @rlad<="20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:14
S26	0	S25' and ("CAP file" "symbol table")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:15
S27	4	S25 and ((parameter variable) near (table structure template record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:18
S28	2	"20020112058".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:20

## EAST Search History

S29	2	"20030167356".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:24
S30	2	"6460058".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:24
S31	11	("6408403" "6577982" "6557120" "5774725" "5513315").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/29 18:47
S32	21	(US-20010011371-\$ or US-20030208743-\$ or US-20020112058-\$ or US-20030167356-\$ or US-20050055350-\$ or US-20020103824-\$).did. or (US-6625590-\$ or US-5892950-\$ or US-6662356-\$ or US-6378126-\$ or US-5875334-\$ or US-5911076-\$ or US-5860004-\$ or US-6442566-\$ or US-6996801-\$ or US-6625804-\$ or US-7039724-\$ or US-7000219-\$ or US-6957423-\$ or US-6460058-\$). did. or (US-5774725-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/31 07:47
S33	5	S32 and (assembly adj2 (code program instruction language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 07:48

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

API builder event hook multi-thread namespace

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 573 for **API builder event hook multi-thread namespace**. (0.22 seconds)Did you mean: **API builder event hook *multithreaded* namespace**

### Torry's Delphi Pages

The reformatting includes rewriting the unit/**namespace** names one per ... Therefore, it is (or should be) common practice to **hook** UnhandledException **event** of ...  
[www.torry.net/authorsmore.php?id=628](http://www.torry.net/authorsmore.php?id=628) - 62k - [Cached](#) - [Similar pages](#)

### Applications Developers Workshop at NACSE 9/17 - 9/18, 1998

**Multi-thread** parallelism supported; Addresses MIMD, but not required that ... Subsume into tools: **API** to access the hardware counters to acquire current ...  
[www.nacse.org/projects/HPCreqts/mtg2/minutes.html](http://www.nacse.org/projects/HPCreqts/mtg2/minutes.html) - 21k - [Cached](#) - [Similar pages](#)

### [PDF] Evolution Plugin Development Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

It is part of the **hook's api** to specify the type of this pointer. return value ... It uses a fairly complex **multi-thread** approach to the formatting to ...  
[www.gnome.org/projects/evolution/developer-doc/eplugin/evolution-plugin-manual.pdf](http://www.gnome.org/projects/evolution/developer-doc/eplugin/evolution-plugin-manual.pdf) - [Similar pages](#)

### Torry's Delphi Pages

Therefore, it is (or should be) common practice to **hook** UnhandledException **event** of the current AppDomain and ThreadException **event** of Application. ...  
[www.torry.ru/authorsmore.php?id=628&sort=Date](http://www.torry.ru/authorsmore.php?id=628&sort=Date) - 62k - [Cached](#) - [Similar pages](#)

### microsoft.public.dotnet.languages.csharp

A Problem with **MultiThread** >\_<! ... There are classes that mimic the old Wininet **API**? ... NET application and FindWindow() Windows **API** function ...  
[www.pcreview.co.uk/forums/archive/forum-208-27.php](http://www.pcreview.co.uk/forums/archive/forum-208-27.php) - 69k - [Cached](#) - [Similar pages](#)

### The Code Project

Low-level Windows **API hooks** from C# to stop unwanted keystrokes ... Using Excel **Namespace** in C#, we can load or open the Excel file and read the cell ...  
[www.codeproject.com/csharp/](http://www.codeproject.com/csharp/) - 740k - Jul 29, 2006 - [Cached](#) - [Similar pages](#)

### Neohapsis Archives - Freshmeat News - [fm-news] Newsletter for ...

Changes: Major **API namespace** cleanup, support for libxml2, enhanced ... Changes: Many **multi-thread** related cleanups and an editor update. ...  
[archives.neohapsis.com/archives/apps/freshmeat/2001-06/0026.html](http://archives.neohapsis.com/archives/apps/freshmeat/2001-06/0026.html) - 45k - [Cached](#) - [Similar pages](#)

### From glenn at esbconsult.com Mon May 1 04:02:33 2006 From: glenn ...

More than 20 demos for Delphi and C++ **Builder** - Fully compatible with TTable ... use other tools like bcc32pch or one of the **multi-thread** compiler helpers). ...  
[www.elists.org/pipermail/cbuilder-3p/2006-May.txt](http://www.elists.org/pipermail/cbuilder-3p/2006-May.txt) - 57k - [Cached](#) - [Similar pages](#)

### Index (FM-Classic API)

NodeListModel: Registers an XML **namespace** with this node list. ... This interface is not **multi-thread** safe, and also, in some cases, not single-thread safe ...  
[fm-classic.sourceforge.net/docs/index-all.html](http://fm-classic.sourceforge.net/docs/index-all.html) - 764k - [Cached](#) - [Similar pages](#)

[.NET C# Page 7 - Community Site Map](#)[SaveToFile within Exchange Store Event](#) · [customer form ... A Problem with MultiThread](#)[>\\_<! ... NET application and FindWindow\(\) Windows API function ...](#)[www.thescripts.com/forum/archive/index.php/f-115-p-7.html](http://www.thescripts.com/forum/archive/index.php/f-115-p-7.html) - 371k - [Cached](#) - [Similar pages](#)Did you mean to search for: [API builder event hook \*multithreaded\* namespace](#)Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#) [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

API builder event hook multi-thread namespace

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 11 - 20 of about 573 for **API builder event hook multi-thread namespace**. (0.19 seconds)[microsoft.public.dotnet.languages.vc](#)

Error using **Event Wizard** "...parent class code is read only" · SetPixel and colors · Two DLLs, ... COM+ call to **MultiThread** can only create 3 STA Thread ? ...  
[www.pcreview.co.uk/forums/archive/forum-210-9.php](#) - 68k - [Cached](#) - [Similar pages](#)

[The Code Project - Free Source Code and Tutorials](#)

A factory, which dynamically creates helper classes to **hook** on **events** of any signature. ...  
 This is a simple skeleton for a **multi-thread** process or services ...  
[www.codeproject.com/csharp/?Display=updated](#) - 740k - Jul 29, 2006 -  
[Cached](#) - [Similar pages](#)

[.NET VB Page 5 - Community Site Map](#)

Use Interfaces to **Hook** up **Event** Handlers · Possible to retrieve **events** by a control in ...  
 When To Use Imports And When To Use The Full **Namespace** Path ? ...  
[www.thescripts.com/forum/archive/index.php/f-117-p-5.html](#) - 369k - [Cached](#) - [Similar pages](#)  
 [ [More results from www.thescripts.com](#) ]

[VC tutorials all](#)

Hi, I have a **multi-thread** program, and if I want to check the size of memory that has ... Hi, I am creating a shell **namespace** extension to show FTP files. ...  
[www.tutorialsall.com/VC/VC-39.html](#) - 60k - [Cached](#) - [Similar pages](#)

[DataGridView refresh problem \(DataTable\) @ tutorials all](#)

FileSystemWatcher **event** fires in another thread other than the main GUI thread, ... plan to make Data bound control such as DataGridView, **multi-thread** safe? ...  
[www.tutorialsall.com/CSHARP/DataGridView-refresh-431185/](#) - 88k -  
[Cached](#) - [Similar pages](#)  
 [ [More results from www.tutorialsall.com](#) ]

[\[PDF\] XEngine - A Platform- and API-Independent Real-Time 3D Engine with ...](#)

File Format: PDF/Adobe Acrobat

**hook** methods provided by the base class. Additionally, the RenderContext class ... tained in a **namespace** called "X", every file name is prefixed with "X". ...  
[www.gup.uni-linz.ac.at/~gk/docs/XEngine.pdf](#) - [Similar pages](#)

[\[PDF\] 1337 A](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

subset of **events** in, 323. synchronizing mobile data, 906–907. system colors, 1066. text drawing support, 1118. validation, 410–411. Win32 **API** functions ...  
[www.informit.com/content/images/0321174046/index/yaoindex.pdf](#) - [Similar pages](#)

[PadRepository.com](#)

delphi / c++**builder** messenger sdk for the easy creation of custom ... <http://www.hook-api.com/text-capture.xml>. Win95, Win98, WinME, WinXP, WinNT 3.x, WinNT 4.x ...  
[www.padrepository.com/cat0054/subcat0061.htm](#) - 109k - [Cached](#) - [Similar pages](#)

[IBM - Fix list for WebSphere Application Server Version 5.0.2](#)

PQ81007, IBM certpath **builder** fails with x509 v1 certificate ... **hook** is called before the WebSphere plug-in translate\_name **hook** in IBM HTTP Server 2.0.42.2 ...



[www-1.ibm.com/support/docview.wss?uid=swg27006881](http://www-1.ibm.com/support/docview.wss?uid=swg27006881) - 469k - [Cached](#) - [Similar pages](#)

### geotoolsIRC: September 2004

jive Fun stuff - I was going to ask what **API** change we should request to lite renderer to allow us to **hook** into the rendering process? jive :- ) jive **Event** ...

[gtirc.blogspot.com/2004\\_09\\_01\\_gtirc\\_archive.html](http://gtirc.blogspot.com/2004_09_01_gtirc_archive.html) - 150k - [Cached](#) - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

API builder event thread namespace method c

[Advanced Search](#)  
[Preferences](#)**Web** Results 1 - 10 of about 42,400 for **API builder event thread namespace method class symbol table**. (0**Xalan-Java 2.6.0 API Reference: Class DTMDocumentImpl**Get a reference pointer to the **namespace** URI **symbol table**. ... "our SAX **builder**" – the thing that someone else should send SAX **events** to in order to extend ...www.stylusstudio.com/api/xalan-j\_2\_6\_0/org/apache/xml/dtm/ref/DTMDocumentImpl.htm - 127k - [Cached](#) - [Similar pages](#)**WebLogic Server 8.1 API Reference: D-Index**dispatchEvent(**Event**) - **Method** in **class** weblogic.apache.xerces.dom. ...DOMValidationConfiguration(**SymbolTable**) - Constructor for **class** ...

edocs.bea.com/wls/docs81/javadocs/index-files/index-4.html - 175k -

[Cached](#) - [Similar pages](#)**[PDF] White Paper**File Format: PDF/Adobe Acrobat - [View as HTML](#)Build **Events** for pre-build, post-build and post-link on project and file levels ... Open Tools**API** for code completion and **symbol table**. queries ...

www.borland.com/resources/en/pdf/products/delphi/bds2006\_feature\_matrix.pdf -

[Similar pages](#)**Manual section 3**XML::LibXML::Namespace - A **Namespace Class** to hold **namespace** nodes ... direct SAX parser XML::LibXML::SAX::**Builder** - build a LibXML tree from SAX **events** ...osr507doc.sco.com/cgi-bin/manlist?section=3&lang=en - 151k - [Cached](#) - [Similar pages](#)**Mailing list archives**getFaultDataType(fault, **symbolTable**); + + // output the registration **API** call + pw.print(" ... **builder**; } public SOAPHandler onStartChild(String **namespace**, ...

mail-archives.apache.org/mod\_mbox/ws-axis-dev/200210.mbox/%

3C20021001203852.83967.qmail@icarus.apache.org%3E - 41k - [Cached](#) - [Similar pages](#)**Scripting and Dynamic Interaction in Java**If a **symbol** is referenced and found to be unbound, this **table** is consulted to ... obtain a list of all accessible **methods** from the target **class** using the ...alumni.media.mit.edu/~mt/skij/dynjava/dynjava.html - 55k - [Cached](#) - [Similar pages](#)**Enhydra Application Server 3.0 API: A-Index**addReferentialWhereClause(String, String) - **Method** in **class**com.lutris.dods.**builder**.generator.query.QueryBuilder: Add an inter-**table** reference where-clause ...enhydra.objectweb.org/doc/javadoc/index-files/index-1.html - 74k - [Cached](#) - [Similar pages](#)**5.8.0::i486-linux::Image::Magick - Perl extension for calling ...**Text::Abbrev - create an abbreviation **table** from a list Text::Diff (0.35) ...XML::NamespaceSupport (1.08) - a simple generic **namespace** support **class** ...www.fsdata.se/kund/manual/pmlist.html - 78k - [Cached](#) - [Similar pages](#)**oreilly.com -- Online Catalog: Programming .NET Components****Thread class** counter-abort **method**, 158 ThreadInterruptedException **class**, 155 ... lollipop **symbol** for, 3 **methods**, properties, and **events**, 46 . ...



[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

API builder event thread namespace method c

Search

[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**Searched all groups**Results 1 - 10 of 73 for **API builder event thread namespace method class symbol table** (0.18 seconds)**Sorted by relevance** [Sort by date](#)[comp.lang.perl The Perl 5 Module List \(Reusable Software\)](#)... DMR Template Rdpr Struct/member template **builder** DMR Object ... file handle  
CHIPS +Selectable cdpO **Event-driven** I ... Interface to Remedy's Action Request **API** RIK  
Psion ...[news.answers](#) - Feb 11 1996, 1:15 am by Tim Bunce - 1 message - 1 author[comp.lang.perl The Perl 5 Module List \(Reusable Software\)](#)... DMR ::Template Rdpr Struct/member template **builder** DMR Object ... file handle  
CHIPSSelectable cdpO **Event-driven** I ... Interface to Remedy's Action Request **API** RIK  
Psion ...[comp.lang.perl.announce](#) - Apr 10 1996, 7:17 pm by Tim Bunce - 1 message - 1 author[Policy Idolatry](#)... it would be possible to implement OpenStep **API** using Motif ... contained-- I  
haven'tchanged the **event** model, or ... requires that you use the GUI **builder** to adjust ...[comp.sys.mac.advocacy](#) - Feb 10 1998, 11:02 am by Chuck Swiger - 1532  
messages - 111 authors[comp.lang.perl The Perl 5 Module List \(Reusable Software\)](#)... DMR Template Rdpr Struct/member template **builder** DMR Object ... objects and  
**methods**Selectable cdpO **Event-driven** I/O ... Interface to Remedy's Action Request **API** RIK  
OLE ...[news.answers](#) - Oct 25 1995, 3:22 pm by Tim Bunce - 1 message - 1 author[comp.lang.tcl Frequently Asked Questions \(October 25, 1996\) \(5/5\)](#)... Especially designed for using with the xf interface **builder**. ... the NExS Network  
ExtensibleSpreadsheet Connections **API** to the ... Each **thread** has its own **event** queue ...[comp.lang.tcl.announce](#) - Oct 26 1996, 6:04 pm by Larry W. Virden - 2 messages - 1 author[comp.lang.perl The Perl 5 Module List \(Reusable Software\)](#)... DMR Template Rdpr Struct/member template **builder** DMR Object ... objects and  
**methods**Selectable cdpO **Event-driven** I ... Interface to Remedy's Action Request **API** RIK  
Psion ...[comp.lang.perl.announce](#) - Jan 26 1996, 1:10 am by Tim Bunce - 1 message - 1 author[comp.lang.perl.modules The Perl 5 Module List \(Reusable Software\)](#)... adcO Small SQL parser and engine JWIED ::**Builder** adpO OO ... directories  
CJM ::**Event**bdcO Use Win32 **event** objects for ... OLE adcf Interface to OLE **API** functions

<http://groups.google.com/groups?q=API+builder+event+thread+namespace+method+class...> 7/31/2006